

Spicipalpia	
Rhyacophilidae	<i>Rhyacophila fasciata</i> Hagen, 1859
	<i>R. nubila</i> (Zetterstedt, 1840)
Glossosomatidae	<i>Agapetus delicatulus</i> McLachlan, 1884
	<i>A. fuscipes</i> Curtis, 1834
	<i>A. ochripes</i> Curtis, 1834
Hydroptilidae	<i>Ptilocolepus granulatus</i> (Pictet, 1834)
	<i>Tricholeiochiton fagesii</i> (Guinard, 1879)
	<i>Ithytrichia lamellaris</i> Eaton, 1873
	<i>Agraylea multipunctata</i> Curtis, 1834
	<i>A. sexmaculata</i> Curtis, 1834
	<i>Hydroptila angulata</i> Mosely, 1922
	<i>H. cornuta</i> Mosely, 1922
	<i>H. dampfi</i> Ulmer, 1929
	<i>H. martini</i> Marshall, 1977
	<i>H. pulchricornis</i> Pictet, 1834
	<i>H. tineoides</i> Dalman, 1819
	<i>H. sparsa</i> Curtis, 1834
	<i>H. valesiaca</i> Schmid, 1946
	<i>H. vectis</i> Curtis, 1834
	<i>Oxyethira distinctella</i> McLachlan, 1880
	<i>O. falcata</i> Morton, 1893
	<i>O. flavicornis</i> (Pictet, 1834)
	<i>O. sagittifera</i> Ris, 1897
	<i>O. tristella</i> Klapálek, 1895
	<i>Orthotrichia angustella</i> (McLachlan, 1865)
	<i>O. costalis</i> (Curtis, 1834)
	<i>O. tragetti</i> Mosely, 1930

Annulipalpia	
Philopotamidae	<i>Wormaldia occipitalis</i> (Pictet, 1834)
	<i>W. subnigra</i> McLachlan, 1865
Psychomyiidae	<i>Psychomyia pusilla</i> (Fabricius, 1781)
	<i>Tinodes waeneri</i> (Linnaeus, 1758)
	<i>T. maclachlani</i> Kimmins, 1966
	<i>T. pallidulus</i> McLachlan, 1878
	<i>Lype phaeopa</i> (Stephens, 1836)
	<i>L. reducta</i> (Hagen, 1868)
Ecnomidae	<i>Ecnomus tenellus</i> (Rambur, 1842)
Polycentropodidae	<i>Cyrnus crenaticornis</i> (Kolenati, 1859)
	<i>C. flavidus</i> McLachlan, 1864
	<i>C. insolutus</i> McLachlan, 1878
	<i>C. trimaculatus</i> (Curtis, 1834)
	<i>Holocentropus dubius</i> (Rambur, 1842)
	<i>H. picicornis</i> (Stephens, 1836)
	<i>H. stagnalis</i> (Albarda, 1874)
	<i>Neureclipsis bimaculata</i> (Linnaeus, 1758)
	<i>Plectrocnemia conspersa</i> (Curtis, 1834)
	<i>Polycentropus flavomaculatus</i> (Pictet, 1834)
	<i>P. irroratus</i> (Curtis, 1834)
Hydropsychidae	<i>Hydropsyche angustipennis</i> (Curtis, 1834)
	<i>H. bulgaromanorum</i> Malicky, 1977
	<i>H. contubernalis</i> McLachlan, 1865
	<i>H. incognita</i> Pitsch, 1993
	<i>H. instabilis</i> (Curtis, 1834)
	<i>H. pellucidula</i> (Curtis, 1834)
	<i>H. saxonica</i> McLachlan, 1884

	<i>H. siltalai</i> Döhler, 1963
	<i>Cheumatopsyche lepida</i> (Pictet, 1834)
Integripalpia	
Phryganeidae	<i>Trichostegia minor</i> (Curtis, 1834)
	<i>Agrypnia obsoleta</i> (Hagen, 1864)
	<i>A. pagetana</i> (Curtis, 1834)
	<i>A. varia</i> (Fabricius, 1793)
	<i>Phryganea bipunctata</i> Retzius, 1783
	<i>P. grandis</i> Linnaeus, 1758
	<i>Oligotricha striata</i> (Linnaeus, 1758)
	<i>Oligostomis reticulata</i> (Linnaeus, 1761)
	<i>Hagenella clathrata</i> (Kolenati, 1848)
Brachycentridae	<i>Brachycentrus subnubilus</i> Curtis, 1834
Lepidostomatidae	<i>Crunoecia irrorata</i> (Curtis, 1834)
Limnephilidae	<i>Ironoquia dubia</i> (Stephens, 1837)
	<i>Anabolia furcata</i> Brauer, 1857
	<i>A. nervosa</i> (Curtis, 1834)
	<i>Phacopteryx brevipennis</i> (Curtis, 1834)
	<i>Glyphotaelius pellucidus</i> (Retzius, 1783)
	<i>Nemotaulius punctatolineatus</i> (Retzius, 1783)
	<i>Grammotaulius nigropunctatus</i> (Retzius, 1783)
	<i>G. nitidus</i> (Müller, 1764)
	<i>Limnephilus affinis</i> Curtis, 1834
	<i>L. auricula</i> Curtis, 1834
	<i>L. binotatus</i> Curtis, 1834
	<i>L. bipunctatus</i> Curtis, 1834
	<i>L. centralis</i> Curtis, 1834
	<i>L. decipiens</i> (Kolenati, 1848)

	<i>L. elegans</i> Curtis, 1834
	<i>L. extricatus</i> McLachlan, 1865
	<i>L. flavicornis</i> (Fabricius, 1787)
	<i>L. fuscicornis</i> Rambur, 1842
	<i>L. fuscinervis</i> (Zetterstedt, 1840)
	<i>L. germanus</i> (MacLachlan, 1875)
	<i>L. griseus</i> (Linnaeus, 1758)
	<i>L. hirsutus</i> (Pictet, 1834)
	<i>L. ignavus</i> McLachlan, 1865
	<i>L. incisus</i> Curtis, 1834
	<i>L. lunatus</i> Curtis, 1834
	<i>L. luridus</i> Curtis, 1834
	<i>L. marmoratus</i> Curtis, 1834
	<i>L. nigriceps</i> (Zetterstedt, 1840)
	<i>L. pati</i> O`Connor, 1980
	<i>L. politus</i> McLachlan, 1865
	<i>L. rhombicus</i> (Linnaeus, 1758)
	<i>L. sparsus</i> Curtis, 1834
	<i>L. stigma</i> Curtis, 1834
	<i>L. subcentralis</i> (Brauer, 1857)
	<i>L. tauricus</i> Schmid, 1964
	<i>L. vittatus</i> (Fabricius, 1798)
	<i>Enoicyla pusilla</i> (Burmeister, 1839)
	<i>E. reichenbachi</i> (Kolenati, 1848)
	<i>Halesus digitatus</i> (Schrank, 1781)
	<i>H. radiatus</i> (Curtis, 1834)
	<i>H. tessellatus</i> (Rambur, 1842)
	<i>Micropterna lateralis</i> (Stephens, 1837)

	<i>M. sequax</i> McLachlan, 1875
	<i>Parachiona picicornis</i> (Pictet, 1834)
	<i>Potamophylax cingulatus</i> (Stephens, 1837)
	<i>P. latipennis</i> (Curtis, 1834)
	<i>P. luctuosus</i> (Piller & Mitterbacher, 1783)
	<i>P. nigricornis</i> (Pictet, 1834)
	<i>P. rotundipennis</i> (Brauer, 1857)
	<i>Stenophylax permistus</i> McLachlan, 1895
	<i>Chaetopteryx villosa</i> (Fabricius, 1798)
Apataniidae	<i>Apatania auricula</i> (Forsslund, 1930)
Goeridae	<i>Goera pilosa</i> (Fabricius, 1775)
	<i>Lithax obscurus</i> (Hagen, 1859)
	<i>Silo nigricornis</i> (Pictet, 1834)
	<i>S. pallipes</i> (Fabricius, 1781)
Lepidostomatidae	<i>Lepidostoma hirtum</i> (Fabricius, 1775)
	<i>Lasiocephala basalis</i> (Kolenati, 1848)
	<i>Crunoecia irrorata</i> (Curtis, 1834)
Leptoceridae	<i>Athripsodes aterrimus</i> (Stephens, 1836)
	<i>A. albifrons</i> (Linnaeus, 1758)
	<i>A. bilineatus</i> (Linnaeus, 1758)
	<i>A. cinereus</i> (Curtis, 1834)
	<i>Ceraclea alboguttata</i> (Hagen, 1860)
	<i>C. annulicornis</i> (Stephens, 1836)
	<i>C. dissimilis</i> (Stephens, 1836)
	<i>C. fulva</i> (Rambur, 1842)
	<i>C. nigronervosa</i> (Retzius, 1783)
	<i>C. senilis</i> (Burmeister, 1839)
	<i>Leptocerus interruptus</i> (Fabricius, 1775)

	<i>L. tineiformis</i> Curtis, 1834
	<i>Adicella reducta</i> (McLachlan, 1865)
	<i>Erotesis baltica</i> McLachlan, 1877
	<i>Triaenodes bicolor</i> (Curtis, 1834)
	<i>T. unanimitis</i> McLachlan, 1877
	<i>Ylodes conspersus</i> (Rambur, 1842)
	<i>Y. detruncatus</i> (Martynov, 1924)
	<i>Y. simulans</i> (Tjeder, 1929)
	<i>Oecetis furva</i> (Rambur, 1842)
	<i>O. lacustris</i> (Pictet, 1834)
	<i>O. notata</i> Rambur, (1842)
	<i>O. ochracea</i> (Curtis, 1825)
	<i>O. strucki</i> (Klapálek, 1903)
	<i>O. testacea</i> (Curtis, 1834)
	<i>O. tripunctata</i> (Fabricius, 1793)
	<i>Mystacides azurea</i> (Linnaeus, 1761)
	<i>M. longicornis</i> (Linnaeus, 1758)
	<i>M. nigra</i> (Linnaeus, 1758)
Odontoceridae	<i>Odontocerum albicorne</i> (Scopoli, 1763)
Molannidae	<i>Molanna albicans</i> (Zetterstedt, 1840)
	<i>M. angustata</i> (Curtis, 1834)
	<i>Molannodes tinctus</i> (Zetterstedt, 1840)
Sericostomatidae	<i>Notidobia ciliaris</i> (Linnaeus, 1761)
	<i>Sericostoma personatum</i> (Kirby & Spence, 1826)
	<i>S. schneideri</i> Kolenati, 1848
Beraeidae	<i>Beraea pullata</i> (Curtis, 1834)
	<i>Bereodes minutus</i> (Linnaeus, 1761)
	<i>Ernodes articularis</i> (Pictet, 1834)