

Calopterygidae	Calopteryx	splendens (HARRIS, 1782)
		virgo (LINNAEUS, 1758)
Lestidae	Sympecma	fusca (VANDER LINDEN, 1820)
		paedisca (BRAUER, 1877)
	Lestes	barbarus (FABRICIUS, 1798)
		dryas KIRBY, 1890
		sponsa (HANSEMANN, 1823)
		virens (CHARPENTIER, 1825)
		viridis (VANDER LINDEN, 1825)
		= Chalcolestes viridis VAN DER LINDEN, 1825
Platycnemididae	Platycnemis	pennipes (PALLAS, 1771)
Coenagrionidae	Pyrrhosoma	nymphula (SULZER, 1776)
	Coenagrion	hastulatum (CHARPENTIER, 1825)
		lunulatum (CHARPENTIER, 1840) = Coenagrion vernale HAGEN, 1839
		mercuriale (CHARPENTIER, 1840)
		ornatum (SELYS, 1850)
		puella (LINNAEUS, 1758)
		pulchellum (VANDER LINDEN, 1825)
	Cercion	lindenii (SELYS, 1840) = Cercion lindeni SELYS, 1840 = Coenagrion lindeni
	Erythromma	najas (HANSEMANN, 1823)

		viridulum (CHARPENTIER, 1840)
	Ischnura	elegans (VANDER LINDEN, 1820)
		pumilio (CHARPENTIER, 1825)
	Enallagma	cyathigerum (CHARPENTIER, 1840)
	Nehalennia	speciosa (CHAROENTIER, 1840)
Gomphidae	Gomphus	flavipes (CHARPENTIER, 1825) = Stylurus flavipes SCHMIDT, 1987
		vulgatissimus (LINNAEUS, 1758)
	Ophiogomphus	cecilia (FOURCROY, 1785) = Ophiogomphus serpentinus CHARPENTIER, 1825
	Onychogomphus	forcipatus (LINNAEUS, 1758)
Aeshnidae	Aeshna	affinis VANDER LINDEN, 1820
		cyanea (MÜLLER, 1764)
		grandis (LINNAEUS, 1758)
		isosceles (MÜLLER, 1767) = Anaciaeschna isoceles MÜLLER, 1767
		juncea (LINNAEUS, 1758)
		mixta LATREILLE, 1805
		subarctica WALKER, 1908
		viridis EVERSMAAN, 1836
	Anax	ephippiger (BURMEISTER, 1839) = Hemianax ephippiger BURMEISTER, 1839
		imperator LEACH, 1815
		parthenope (SELYS, 1839)

Cordulegastridae	Cordulegaster	boltonii (DONOVAN, 1807) = Cordulegaster boltoni DONOVAN, 1807 = Cordulegaster annulatus LATREILLE, 1805
Corduliidae	Cordulia	aenea (LINNAEUS, 1758) = Cordulia aeneaturfosa FÖRSTER, 1902
	Epitheca	bimaculata (CHARPENTIER, 1825)
	Somatochlora	arctica (ZETTERSTEDT, 1840)
		flavomaculata (VANDER LINDEN, 1825) = Somatochlora aenea LINNAEUS, 1758 part.
		metallica (VANDER LINDEN, 1825)
Libellulidae	Libellula	depressa LINNEAUS, 1758 = Platetrum depressum SCHMIDT, 1987
		fulva MÜLLER, 1764 = Ladona fulva SCHMIDT, 1987
		quadrimaculata LINNAEUS, 1758
	Orthetrum	brunneum (FONSCOLOMBE, 1837)
		cancellatum (LINNAEUS, 1758)
		coerulescens (FABRICIUS, 1798)
	Crocothemis	erythraea (BRULLÉ, 1832) = Crocothemis servilia DRURY, 1773 part.
	Sympetrum	danae (SULZER, 1776) = Sympetrum scoticum DONOVAN, 1811
		depressiusculum (SEYLS, 1841)
		flaveolum (LINNAEUS, 1758)
		fonscolombii (SELYS, 1840) = fonscolombei SELYS, 1840 = Tarnetrum fonscolombei SCHMIDT, 1987
		pedemontanum (ALLIONI, 1766)
		sanguineum (MÜLLER, 1764)

		striolatum (CHARPENTIER, 1840)
		vulgatum (LINNAEUS, 1758)
	Leucorrhinia	albifrons (BURMREISTER, 1839)
		caudalis (CHARPENTIER, 1840)
		dubia (VANDER LINDEN, 1825)
		pectoralis (CHARPENTIER, 1825)
		rubicunda (LINNAEUS, 1758)